



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SANDHU AVENAL INC. (SUBWAY-AVENAL)	BUSINESS PHONE: (559) 386-9556	RECORD ID#: PR0005207	DATE: November 02, 2016
FACILITY SITE ADDRESS: 255 E KINGS ST	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: MANINDER SANDHU	CERTIFIED FOOD MANAGER: Maninder Sandhu	EXP DATE: 12/24/2017	INSPECTOR: Vikram Manke

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER HOT HOLDING TEMPERATURE(S) [HSC 113996]

Description/Corrective Action: Temperature of food items in hot holding units was measured below 135 F. Meatballs were measured at 112 F and the chicken patties were measured at 98 F. The temperature of the unit was adjusted. The food items were re-checked and the temperatures were found to be gradually increasing.

Operator was asked to frequently monitor the temperature of food items and cease use of the hot holding unit if it malfunctions.

General Comments:

Employees were observed washing hands at appropriate intervals. Food items in the cold holding prep tables were measured at a temperature of below 41 F. Ambient air temperature in the walk-in refrigerator was also measured below 41 F. All food items were stored six inches above the floor.

Hand wash stations, prep sink, and three compartment sink had hot water supply. Sanitizer was measured around 200 PPM of quaternary ammonium.

Please fix the above noted violations.

RESULTS OF EVALUATION: [] PASS [X] NEEDS IMPROVEMENT [] FAIL

Reinspection Required: Yes: [] No: [X]

Reinspection Date (on or after): N/A

[] Potential Food Safety All Star:

Signature

Received By:

Vikram Manke

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SANDHU AVENAL INC. (SUBWAY-AVENAL)	BUSINESS PHONE: (559) 386-9556	RECORD ID#: PR0005207	DATE: April 19, 2016
FACILITY SITE ADDRESS: 255 E KINGS ST	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: MANINDER SANDHU	CERTIFIED FOOD MANAGER: Maninder Sandhu	EXP DATE: 12/24/2017	INSPECTOR: Vikram Singh

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: RESTROOM FACILITIES NOT MAINTAINED [HSC 114250 & 114276]

Description/Corrective Action: The restroom door is not completely self closing. Per state law, the door of the restroom must be self-closing to prevent the odors from escaping the restroom. Please fix within 30 days.

Violation: IMPROPER COLD HOLDING TEMPERATURE(S) [HSC 113996]

Description/Corrective Action: With exception of few foods, Items in the prep tables were measured between 45 F and 47 F. Operator was going to add ice beneath the containers to maintain temperature below 41 F.

Please fix this unit within 14 days.

General Comments:

Hand wash sink had soap, paper towel, and warm water supply. Temperature of the walk-in refrigerator was measured at satisfactory temperature. Temperature of hot food item i.e. chicken patties were measured at 150 F. Food safety certifications were checked today.

Please correct the above noted violations.

RESULTS OF EVALUATION: [] PASS [X] NEEDS IMPROVEMENT [] FAIL

Reinspection Required: Yes: [] No: [X]

Reinspection Date (on or after): N/A

[] Potential Food Safety All Star:

[Handwritten signature]

Received By:

Vikram Singh

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SANDHU AVENAL INC. (SUBWAY-AVENAL)	BUSINESS PHONE: (559) 386-9556	RECORD ID#: PR0005207	DATE: October 20, 2015
FACILITY SITE ADDRESS: 255 E KINGS ST	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: MANINDER SANDHU	CERTIFIED FOOD HANDLER: Maninder Sandhu	EXP DATE: 12/24/2017	INSPECTOR: Vikram Singh

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: RESTROOM FACILITIES NOT MAINTAINED [HSC 114250 & 114276]

Description/Corrective Action: The exhaust fan was not functional in the restroom. Please repair or replace the exhaust fan.

General Comments:

Hand wash station had soap, paper towels, and warm water supply.
All the cold foods and cold holding units were measured at satisfactory temperatures per the state law.
Three compartment sink had dish soap, sanitizer, and hot water supply.
The facility records temperatures of the holding units and foods on a daily basis. The records were verified.

All the violations from the last inspection have been corrected.

RESULTS OF EVALUATION: <input checked="" type="checkbox"/> PASS <input type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	Reinspection Required: Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/> Reinspection Date (on or after): N/A <input type="checkbox"/> Potential Food Safety All Star:
---	--

Vikram Singh

Received By:

Agency Representative

NOTE: This report must be made available to the public on request