



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> GALLERY CAFE	<b>BUSINESS PHONE:</b> (559) 997-3625	<b>RECORD ID#:</b> PR0009104	<b>DATE:</b> December 19, 2016
<b>FACILITY SITE ADDRESS:</b> 161 E KINGS ST	<b>CITY:</b> AVENAL	<b>ZIP CODE:</b> 93204	<b>INSPECTION TYPE:</b> 2ND+ FOLLOWUP INSPECTION
<b>OWNER NAME:</b> OSVALDO AND JUAN CONTRERAS	<b>CERTIFIED FOOD MANAGER:</b> Osvaldo Contreras	<b>EXP DATE:</b> 12/26/2019	<b>INSPECTOR:</b> Abel Simon - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.  
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Today's re-inspection is the third re-inspection and will be charged a fee of \$225. The following was observed:  
Store restaurant owner stated that he had all the food handler cards and will send a copy to our Department. Please make sure to retain copies at the restaurant at all times.  
The light covers were installed on the two lights that did not have them.  
A functioning thermometer was available on site.  
The cold holding prep table was removed from the kitchen area.  
The grease cup was installed on the hood.

Thank you for correcting the noted issues. Please make sure to continue to maintain all the above noted violations clear.

RESULTS OF EVALUATION:  PASS  NEEDS IMPROVEMENT  FAIL

Reinspection Required: Yes:  No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Abel Simon - REHS

Received By:

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> GALLERY CAFE	<b>BUSINESS PHONE:</b> (559) 997-3625	<b>RECORD ID#:</b> PR0009104	<b>DATE:</b> November 16, 2016
<b>FACILITY SITE ADDRESS:</b> 161 E KINGS ST	<b>CITY:</b> AVENAL	<b>ZIP CODE:</b> 93204	<b>INSPECTION TYPE:</b> 1ST FOLLOW UP INSPECTION
<b>OWNER NAME:</b> OSVALDO AND JUAN CONTRERAS	<b>CERTIFIED FOOD MANAGER:</b> Osvaldo Contreras	<b>EXP DATE:</b> 12/26/2019	<b>INSPECTOR:</b> Vikram Manke

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Violation:** NO CURRENT FOOD HANDLER CARD CERTIFICATES FOR EMPLOYEES

**Description/Corrective Action:** One operator stated that he had expired food handlers card. Two other employees stated that they have a food handlers card but was not present on site. In the last inspection, the operators were instructed to maintain a copy on site for review during today's inspection. Please renew expired food handlers card and maintain a copy on site for review during next inspection.

**Violation:** IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

**Description/Corrective Action:** Grease cup was missing from the exhaust hood system. The grease cup collect excessive grease runoff from the baffles. Please install the grease cup.

**Violation:** IMPROPER COLD HOLDING TEMPERATURE(S) [HSC 113996]

**Description/Corrective Action:** Temperature of the reach in cold holding unit was measured at 74 F. No perishable items were stored in the unit at the time of inspection. Operator informed that this unit is in need of fixing and is not being used to store any food items besides the UNperishable food items that do not require refrigeration. Please fix the unit before the next inspection due date.

**Violation:** LACK OF OR IMPROPER USE OF THERMOMETERS [HSC 114157-114159]

**Description/Corrective Action:** A proper functional thermometer was not present in the food facility. Our department recommends that a digital thermometer equipped with a probe to be used for measuring temperature of food items.

**Violation:** FOODS & EQUIPMENT NOT PROTECTED FROM CONTAMINATION [HSC 113980, 114025-114027]

**Description/Corrective Action:** One overhead lighting unit in the kitchen area was missing a protective cover. This might cause potential food contamination or injury in case of accidental breakage of bulb glass. Please install a protective cover.

**General Comments:**

This inspection was conducted to confirm violations issued on November 4, 2016.

The above noted violations were issued in the last inspection and no progress was noticed during today's inspection. A re-inspection shall be conducted to confirm that all the violations have been corrected. Your facility shall be billed \$225 for the next inspection. If any subsequent re-inspections are required, your facility shall be charged \$225 per inspection.

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> GALLERY CAFE	<b>BUSINESS PHONE:</b> (559) 997-3625	<b>RECORD ID#:</b> PR0009104	<b>DATE:</b> November 16, 2016
<b>FACILITY SITE ADDRESS:</b> 161 E KINGS ST	<b>CITY:</b> AVENAL	<b>ZIP CODE:</b> 93204	<b>INSPECTION TYPE:</b> 1ST FOLLOW UP INSPECTION
<b>OWNER NAME:</b> OSVALDO AND JUAN CONTRERAS	<b>CERTIFIED FOOD MANAGER:</b> Osvaldo Contreras	<b>EXP DATE:</b> 12/26/2019	<b>INSPECTOR:</b> Vikram Manke

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.  
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

RESULTS OF EVALUATION:  PASS  NEEDS IMPROVEMENT  FAIL

Reinspection Required: Yes:  No:

Reinspection Date (on or after): 12/11/2016

Potential Food Safety All Star:

Vikram Manke

Received By:

Agency Representative

NOTE: This report must be made available to the public on request